-YARDARM FABRICATION

EST. 1988



METAL FABRICATION SPECIALISTS



WE ARE A COMPLETE METAL FABRICATION COMPANY

From the simplest saw cuts to complex design and development, Yardarm® Fabrication is here to meet all your project needs. We offer a wide range of metal fab services including laser cutting, welding, machining and more. With over 61,000 square feet of shop area, we are ready to get your big or small job done right.

CAPABILITIES

CUTTING

Material thickness max: Mild steel: 1". Stainless steel: 3/4".

Aluminum: 5/8". Copper: 3/8". Brass: 3/8"

Max size: 60" x 120"

I MAZAK OPTIPLEX NEXUS 3015 FIBER LASER | HYPERTHERM® MAX 70 PLASMA CUTTER

SHEARING

Angle shear: 6" x 6" x 5/8" **Plate shear:** 3/4" x 18" or 20.5" Bar shear: up to 2" Max size: 60" x 120"

PIRANHA PII-140

PIRANHA PII-65

MAZAK OPTIPLEX NEXUS 3015 FIBER LASER



LET US PUT **OUR EXPERTISE** TO WORK FOR YOU. **CONTACT US TODAY.**

1-800-547-5243 INFO@YARDARMFAB.COM

Piranha PII Ironworke



FORMING (Press Brake)

Capacity: up to 175 Tons

Bed length: 144" Throat depth: 12"

ACCURPRESS PRECISION CNC FORMING SYSTEM

PIRANHA PII-140

PIRANHA PII-65

TUBE BENDING

Tube (Min.): 1/4" (Max.): 2 1/2" Pipe (Max.): 2" Sch. 40 Centerline radius (Min.): 2 x Ø (Max.): 15"

Degree of bend: 0-210°

ERCOLINA® TB60 TOP BENDER

ROLLING (Plate, Angle, Tube)

Max pipe capacity: 2" Sch. 40 Max angle capacity: 2" x 2" x 1/4" Roll width: 74" Rolling thickness: 3/8"

Prebending thickness: 1/4" Tube max: 2.5" - .125 wall

ERCOLINA® CE40 ANGLE ROLL DAVI® FOUR ROLL MCA 2019

PUNCHING

Punch capacity: 140 Tons. Max hole size: up to 5" Throat depth: 21.5"

PIRANHA SEP 140 PIRANHA PII-140 PIRANHA PII-65

MACHINING

30HP, Speed: 15,000 RPM, Table size: 48" x 20", Machine travels (x/y/z): 40" / 20" / 17.7"

Tapping: Tap capacity: 0 to 9/16", Reach: 14" to 51" Drilling: Cast iron capacity: 5/8", Mild steel capacity: .1/2",

SAWING

Max cutting height: 25" Throat capacity: 19 5/8"

Capacity @ 90 Deg.: 20" x 25" Capacity @ 45 Deg.: 20" x 17"

Capacity @ 60 Deg.: 20" x 11.25"

MARVEL TOUCHTECH 60 2125 BAND SAW

HYD-MECH V-18A BAND SAW

ROCKWELL DELTA 20 VERTICAL BAND SAW

ROLL-IN-SAW EF1459 THE ORIGINAL

WELDING

Types: MIG, TIG, Spot, Stud, Oxy Acetylene Materials: Mild steel. Stainless steel. Aluminum

MILLER MIG WELDER

MILLER TIG WELDER

MILLER SPOT WELDER

EAGLE STUD WELDER

PANDJIRIS® MINI PIPER TURNING ROLL

PANDJIRIS® WELD 15-4AB POSITIONER

FINISHING & OTHER SERVICES

Grinding/Sanding Deburring & Beveling Laser Etching **Abrasive Blasting Rivet: Nuts & Studs Wet Coatings Assembly & Kitting Powder Coating** Galvanizing Packaging & Shipping

ENGINEERING

Virtual Product Simulation Solidworks® 3D CAD **RADAN Profiling Design Validation RADAN Bending CNC Tool Path Generation RADAN Nesting Tooling Development**

Woodworking/CNC Ink Stamping/Labeling





MATERIALS

COLD ROLLED **HOT ROLLED** PICKLED & OILED GALVANIZED


ALUMINUM STAINLESS STEEL **BRASS COPPER**

STRUCTURAL

BEAM TUBE ANGLE

In-house engineering

CHANNEL PLATE BAR







METAL PRODUCTS

LASER BLANKING

WELDMENTS

ORNAMENTAL

STRUCTURAL

ARCHITECTURAL





EXAMPLE PROJECTS

HAND RAILS
STAIR CASES (STRAIGHT & SPIRAL)
EXHIBIT BOOTH STRUCTURES
STEEL CABINETS
ROLLER CONVEYORS
PERMANENT LADDERS
CUSTOM PAINT CARTS
GATES AND FENCING SECTIONS
DECORATIVE STEEL STRUCTURES
STRUCTURAL "I" BEAM BASE PLATES

REPEATABILITY

PRECISION

RELIABILITY

SUPERIOR QUALITY AND SERVICE

Our highly skilled technicians will ensure your project will be provided with superior quality work and service. On top of that, our extensive range of cutting-edge fabricating equipment can smoothly produce and replicate precision parts as needed.

INDUSTRY KNOWLEDGE

Since being founded in 1988, Yardarm® Fabrication has been committed to staying abreast with the latest industry standards and best practices. We are a part of several associations including the Fabricators & Manufacturers Association, NACE International, the Society For Protective Coatings, and the Powder Coating Institute to help keep our knowledge up to date.











1-800-547-5243

2719 TOBEY DR, BLDG 2, INDIANAPOLIS, IN 46219